ON NI I X USA How far does your imagination go? NORTH AMERICAN ON EDIT

ONIX[®] COMPANY PRESENTATION



Onix is a leading glass mosaic producer that has achieved global recognition thanks to its continuous innovation and avant-garde design.


Our name, ONIX, refers to a gemstone, and it has been our inspiration to create mosaic jewels for many different spaces.


Located in Onda (Castellon), Spain, Onix offers avant-garde creations and designs that provide new and amazing possibilities for the mosaic applications. Over the last years more and more architects and designers are increasingly using mosaics in their projects due to its versatility and appealing design.

Today, Onix is the most important international mosaic manufacturers and appears among the creative brands of glass mosaic worldwide.

ONIX[®] INDEX

01 COMPANY PRESENTATION03 ALFABHETICAL INDEX04 HOW TO USE OUR CATALOGUE06 PRODUCT





98% RECYCLED GLASS

Hex NatureGlass
 Hex Opalo
 Hex Stones
 Hex Blends
 Marbelous
 Cosmic
 Essence
 MistycGlass
 RureBlends
 FuseGlass
 StoneGlass
 StoneGlass Blends
 NatureBlends
 SoneGlass Blends
 MatureGlass
 StoneGlass
 StoneGlass
 StoneGlass
 Opalo

40 STONE & GLASS

42 Crystone

44 GLASS

46 Geoglass


52 AQUASTYLE

- 60 Lisa
- 60 Nieve
- 61 Nieve Antislip 61 Colour Blends
- 62 Luminiscent

064 DIGITAL PRINTED MOSAIC 074 ARTISTIC MOSAIC 076 TECHNICAL CHARACTERISTICS 078 TILE LAYING ADVICE 082 COLOUR INDEX

ONIX[®] ALPHABETICAL INDEX

NAME	PAG.	NAME	PAG.	NAME	PAG.
Agata Diamond Black	24	Hex Blend Cloud	19	Nieve Azul Cielo 25254	60
Aqua	61	Hex Blend Taupe	19	Nieve Azul Claro 25252	60
Amber	24	Hex Blend Black	19	Nieve Azul Marino 25250	60
Atlántico	12-28	Hex Blend Metal Carrara	19	Nieve Azul Marino 25250 A	dz 61
Aura	24	Hex Blend Tan	19	Nieve Blanco 25103 Adz	61
Brown Illusion	10	Hex Blend Brown	19	Nieve Verde 25357	60
Cosmic Firenze	22	Hex Blend Cream	19	Ópalo Negro	38
Cosmic Zambra	22	Hex Dark Slate	18	Opalo Sor	38
Crystone CS004	42	Hex Nature White	16	Piscis	61
Crystone CS005	42	Hex Nature Beige	16	Piscis Luminiscent	62
Crystone CS006	42	Hex Nature Black	16	StoneGlass 25010	34
Crystone CS007	42	Hex Opalo	16	StoneGlass 25013	34
Crystone CS008	42	Hex Oxide	18	StoneGlass Ópalo Blanco	34
EarthGlass Slate	32	Indico	12-26	StoneGlass Ópalo Gris	34
Essence Carrara	22	Indor	28	StoneGlass Ópalo Negro	34
Essence Carrara Mix Dark	22	Lisa Azul Marino 25200	60	Upsala Bone	26
Essence Pulpis	22	Lisa Blanco 25103	60	Upsala Black	26
Fuseglass 010	30	Luminiscent Blue	62		
Fuseglass 013	30	Luminiscent Bright Blue	62		
Fuseglass 040	30	Luminiscent Bright Green	62		
GeoGlass Brick 10	48	Manatí	26		
GeoGlass Brick 13	48	Marbelous Black	20		
GeoGlass Brick 20	48	Marbelous Vitra Skin	20		
GeoGlass Brick 40	48	Marbelous Stone	20		
GeoGlass Circle 10	46	Marbelous Flower	20		
GeoGlass Circle 13	46	Markina White	10		
GeoGlass Circle 20	46	Namibia	26		
GeoGlass Circle 40	46	NatureGlass White	37		
GeoGlass Circle 50	46	NatureGlass Beige	37		
GeoGlass Oval 10	49	NatureGlass Black	36		
GeoGlass Oval 13	49	NatureGlass Brown	36		
GeoGlass Oval 20	49	NatureGlass Dark Beige	37		
GeoGlass Oval 40	49	NatureGlass Dark Grey	36		
GeoGlass Square 10	50	NatureGlass Grey	37		
GeoGlass Square 13	50	NatureGlass Moka	36		
GeoGlass Square 20	50	Negev	26		
GeoGlass Square 40	50	Nieve Azul Celeste 25254 Ac	dz 61		





ONIX[®] HOW TO USE OUR CATALOGUE






















































SHADING BLENDS

Shading blends are composed by a variety of mixtures going from the lightest to the darkest one. We use a huge range of pieces, colours, relieves, glass, everything to create fantastic light effects, getting different shades of colours that modulate the lighting of the rooms.





f

SHADING BLENDS Brown Ilusion, Markina White

(Level 1)

2002365 Sinai

SPECIAL ORDER

100 100 100 100 100 I

1 MOD **(96.69" x 12.24"):** 8.18 sqft (Weight:16.05 lb) TESSERAE 1"x1"



2002346 Brown Illusion



(Level 8)



96.69"

2002343 Markina White Shading blends are sold by modules (1 module = 8 sheets). L1 and L8 mixtures can be sold separately. See Page 79

MOD₁



2002359 Indico (Level 1) Packing: See Page 26



2002358 Atlántico

(Level 8) Packing: See Page 26

96.69"




100


10

100

11/2

Shading Blends 2002343 Markina White / 2002314 NatureGlass Grey / 2000971 Nieve Blanco 25103 ADZ








COLLECTIONS 98% recycled glass

Committed to the environment. "98%" is our most extensive range of products, bases of different finishes, matt and gloss, iridescent, with relieves, natural stone imitations, combination of pieces of different colours and shapes, etc. This range shows that every room gains special prominence.



Hexagon NatureGlass



2002904 Hex Opalo White

÷



Hexagon Stones

TESSERAE

Ø1,25″

SHEET size: 11.85"x11.41" thickness: 0.173" weight: 1.92*lb*

BOX sheets: 6 quantity : 5.71*sqft* weight: 11.51*lb*

PALLET

quantity/cantidad: 90,63m² / 975,53*sqft* boxes/cajas: 171 gross weight /peso bruto: 912,62kg / 2,011.4/b gross weight : 1,821.5/b

EURO PALLET quantity: 867.14*sqft* boxes: 152

∰ P



2002913 Hex Dark Slate



2002912 Hex Oxide

Hexagon Blends

TESSERAE

Ø1,25″

SHEET size : 11.85"x11.41" thickness: 0.173" weight: 1.92*lb* BOX sheets: 6 quantity: 5.71*sqft* weight: 11.51/b PALLET quantity: 975,53*sqft* boxes: 171 gross weight: 2,011.4*lb* EURO PALLET quantity: 867.14*sqft* boxes : 152 gross weight : 1,821.5*lb* ∰ P



2002923 Hex Blend Cloud



2002920 Hex Blend Taupe



2002919 Hex Blend Black



2002941 Hex Blend Metal Carrara



2002922 Hex Blend Tan



2002917 Hex Blend Brown

ONIX NEW!



2002942 Hex Blend Cream

Marbelous

TESSERAE


1"x2"

SHEET size: 10.3 "x12.5" thickness: 0.19" weight : 1.63 lb BOX sheets: 6 quantity: 5.38 *sqft* weight: *10.14 lb* PALLET quantity: 919.9 *sqft* boxes: 171 gross weight: 1,767 *lb* EURO PALLET quantity: 818 *sqft* boxes : 152 gross weight : 1,613 *lb* ## P




2002780 Marbelous Black







2002773 Marbelous Stone



2002777 Marbelous Flower




98% RECYCLED GLASS Cosmic

TESSERAE

1"×1"

SHEET size: 12.24 "x12.24" thickness: 0.19" weight: 2.01 /b BOX sheets: 5 quantity: *5.27 sqft* weight: *10.1 lb* PALLET quantity: 1,139 sqft boxes: 216 gross weight: 2,175.6 lb EURO PALLET quantity: 759.5 sqft boxes: 144 gross weight : 1,450 lb

∰ P





2002703 Firenze*

2002764 Zambra

98% RECYCLED GLASS


Essence

TESSERAE


1"x1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 /b BOX sheets: 5 quantity: *5.27 sqft* weight: *10.1 lb* PALLET quantity: *1,139 sqft* boxes: 216 gross weight: *2,175.6 lb* EURO PALLET quantity: *759.5 sqft* boxes: 144 gross weight : *1,450 lb*

P



2002690 Essence Carrara





ONIX NEW!



2002751 Essence Pulpis White

ONIX NEW!

2002690 Essence Carrara 2002686 Agata Diamond Blac

98% RECYCLED GLASS Mystic Glass

TESSERAE

1"x1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 lb BOX sheets: 5 quantity: 5.27 sqft weight: 10.1 lb PALLET quantity: 1,139 sqft boxes: 216 gross weight: 2,175.6 lb

sqft 175.6 lb EURO PALLET quantity: 759.5 sqft boxes: 144 gross weight : 1,450 lb

P



2002341 Aura*

2002340 Amber



2002686 Agata Diamond Black

24 ONIX®




98% RECYCLED GLASS NatureBlends

TESSERAE

1"x1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 /b BOX sheets: 5 quantity: *5.27 sqft* weight: *10.1 lb* PALLET quantity: 1,139 sqft boxes: 216 gross weight: 2,175.6 lb EURO PALLET quantity: 759.5 sqft boxes: 144 gross weight : 1,450 lb



2002326 Upsala Black




2002530 Manatí





2002330 Upsala Bone



2002360 Namibia



級

2002529 Negev



98% RECYCLED GLASS NatureBlends


TESSERAE

1"x1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 *lb* BOX sheets: 5 quantity: 5.27 sqft weight: 10.1 lb PALLET quantity: 1,139 sqft boxes: 216 gross weight: 2,175.6 lb EURO PALLET quantity: 759.5 sqft boxes: 144 gross weight : 1,450 lb

₩ P





2002354 Indor

2002358 Atlántico



98% RECYCLED GLASS FuseGlass

TESSERAE


1"x1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 *lb* BOX sheets: 5 quantity: *5.27 sqft* weight: *10.1 lb* PALLET quantity: 1,139 sqft boxes: 216 gross weight: 2,175.6 lb EURO PALLET quantity: 759.5 sqft boxes: 144 gross weight : 1,450 lb

P



2002179 FuseGlass FU 013*



2002177 FuseGlass FU 010*



2002181 FuseGlass FU 040*



EarthGlass

TESSERAE

1"x1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 lb BOX sheets: 20 quantity: 20.99 sqft weight: 40.29 lb PALLET quantity: 1,322.3 sqft boxes: 63 gross weight : 2,538/b EURO PALLET quantity: 881.56 sqft boxes: 42 gross weight : 1,692 lb





2002144 EarthGlass Slate



StoneGlass



98% RECYCLED GLASS

StoneGlass Blends



SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 lb BOX sheets: 10 quantity: *10.55 sqft* weight: *20.14 lb* PALLET quantity: *1,329sqft* boxes: 126 gross weight : *2,538 lb* EURO PALLET quantity: 886.1 sqft boxes: 84 gross weight : 1,692 lb

P

₩ P



2000124 StoneGlass Ópalo Blanco 50% Opalo Blanco - 50% StoneGlass 25013



2002248 StoneGlass Ópalo Gris 50% Opalo Gris - 50% StoneGlass 25011



2000125 StoneGlass Ópalo Negro 50% Opalo Negro - 50% StoneGlass 25010

2002248 StoneGlass Ópalo Gris

1000

Ports

1265

1

-

6332


98% RECYCLED GLASS NatureGlass

TESSERAE

1"x1"


SHEET size: *12,2"x18,1"* thickness: *0.19"* weight: *2.89 lb* BOX sheets: 14 quantity: 21.52 sqft weight:1 40.65 lb PALLET quantity: 1,311 sqft boxes: 60 gross weight : 2,468 lb EURO PALLET quantity:1,092 sqft boxes: 50 gross weight : 2,057 lb





2002315 NatureGlass Dark Grey

2002325 NatureGlass Moka




2002316 NatureGlass Brown




2002317 NatureGlass Black

98% RECYCLED GLASS NatureGlass









2002309 NatureGlass White

2002789 NatureGlass Bone





2002311 NatureGlass Dark Beige

98% RECYCLED GLASS Ópalo


 TESSERAE
 SHEET

 size: 12,2"x18,1"
 thickness: 0.19"

 1"x1"
 weight: 2.89 lb

BOX sheets: 14 quantity/: 21.52 sqft weight: 40.65 lb PALLET quantity: 1,311 sqft boxes: 60 gross weight : 2,468 lb EURO PALLET / quantity: 1,092 sqft boxes: 50 gross weight : 2,057 lb P

10



2002696 Opalo Sor

2000206 Ópalo Negro







COLLECTIONS Stone & Glass

The stone, hardness, resistance, solidity, and the glass, transparency, fragile, beautiful. Two materials combined to create a perfect relation to decorate. Suggestive mosaic combinations with glass and stone create warm rooms, with liveliness and innate variety.

STONE & GLASS CryStone

TESSERAE

0.6"x0.6"

SHEET size: 11,8"x11,8" thickness: 0.32" weight: 3.3 lb BOX sheets: 6 quantity: *5.81 sqft* weight: *19.8 lb* PALLET quantity: *628 sqft* boxes: 108 gross weight: *2,207 lb* EURO PALLET quantity: *471 sqft* boxes: 81 gross weight: *1,635 lb*







4000143 CryStone CS006*



4000141 CryStone CS004*



4000144 CryStone CS007*



4000145 CryStone CS008*



4000142 CryStone CS005*



The glass is one of the most magical materials that has ever existed. Since ancient times it has been one of the pillars for the construction. Appreciated for its transparency, it is the essential value in our mosaic collections. Gold, Crystalglass, all of them contain glass in their mosaics.


COLLECTIONS Glass



TESSERAE

 $\textbf{Circle} \oslash 0.8''$

SHEET size: 12,3"x11,5" thickness: 0.32" weight: 3.339 lb BOX sheets: 6 quantity: 6.027 sqft weight: 20.064 lb PALLET quantity: *651 sqft* boxes: 108 gross weight: *2,273 lb* EURO PALLET quantity: 488.2 sqft boxes: 81 gross weight: 1,683 lb ∰ P




4000091 GeoGlass Circle 13



4000092 GeoGlass Circle 20



4000090 GeoGlass Circle 10



4000093 GeoGlass Circle 40



4000094 GeoGlass Circle 50



TESSERAE

Brick 0.8"x1.6"

SHEET size: 11,8"x11,8" thickness: 0.32" weight: 3.699 lb BOX sheets: 6 quantity: 6.13 sqft weight: 22.199 lb PALLET quantity: *663 sqft* boxes: 108 gross weight: *2,466 lb* EURO PALLET quantity: *497 sqft* boxes: 81 gross weight: *1,828 lb*

∰ P



4000081 GeoGlass Brick 13



4000082 GeoGlass Brick 20



4000080 GeoGlass Brick 10



4000083 GeoGlass Brick 40

TESSERAE

Oval 1"x2"

SHEET size: 11,4"x11,4" thickness: 0.32" weight: 2.719 lb/sqft BOX sheets: 6 quantity: *5.27 sqft* weight: *16.319 lb* PALLET quantity: *569.62 sqft* boxes: 108 gross weight: *1,785.74 lb* EURO PALLET quantity: 427.21 sqft boxes: 81 gross weight: 1,318.36 lb






4000086 GeoGlass Oval 13



4000087 GeoGlass Oval 20



4000085 GeoGlass Oval 10



4000088 GeoGlass Oval 40

TESSERAE

Square 0.8"x0.8"


SHEET size: 11,8"x11,8" thickness: 0.32" weight: 3.339 lb BOX sheets: 6 quantity: 6.02 sqft weight: 20.064 lb PALLET quantity: *651 sqft* boxes: 108 gross weight: *2,198 lb* EURO PALLET quantity: 488.01 sqft boxes: 81 gross weight: 1,629.21 lb ₽




4000076 GeoGlass Square 13



4000077 GeoGlass Square 20





4000075 GeoGlass Square 10



4000078 GeoGlass Square 40












COLLECTIONS 98% recycled glass



2000079 Nieve Azul Marino 25250

SWIMMING POOLS





Private Residential Spain



Mosaics are environmentally friendly, safe and easy to maintain; they are pleasant to the touch and create startling gleams under the water. But what is most interesting is their potential for creating decoration; the variety of colours and textures is endless. And more than that, mosaics are a great way of emphasizing curves and creating daring effects, used for edging and for creating the illusion of spaciousness in the garden.

Onix Mosaico is specially indicated for use in swimming pools, spas and wet areas. In the design field our glass mosaics are the perfect choice due to:

- · Multiple colour, sizes and blends available. Possibility of customized blends.
- · Waterlines, decors and murals to match with the field mosaics.
- · Computer generated images for special designs. We can reproduce any image in mosaic.





Onix mosaic decoration for spas and indoor pools revels in the search for sensations of pleasure, of letting go. Warm colours, rich textures, sparkles and touches of gold create a luxurious setting as a gift to our senses.





Isadora Palace Resort, Ópalo



Dom Pedro Spa



Custom Blend

The technical characteristics of Onix Mosaico make our products the best possible option and have clear advantages over other possible finishes.

- \cdot Green Product. Made with 98% recycled glass.
- \cdot 0% water absorption. Frost resistant and easy to clean. Non-porous, stain resistant and free maintenance.
- \cdot Long lasting finish.
- · Acid, chemical and scratch resistant. Not affected by sun light.
- · Rounded edge finish. Safer finish for barefoot areas
- \cdot Anti slip finishes over 0,6 in wet and dry available.
- \cdot Dot mounting system leaves the 90% of the back free for de adhesive.
- \cdot Larger sheets of 12 x 18' save 20% of time during the installation.
- Suitable for commercial and residential pools and spas, outdoors and indoors.



Digitally Printed Pool







Colour Blends



Colour Blends





98% RECYCLED GLASS Lisa

TESSERAE

1"x1"

SHEET SHEET size: 12,2"x18,1" thickness/espesor: 0.19" weight/peso: 2.89 lb

BOX BOX sheets: 14 quantity: 21.52 sqft weight/peso: 40.65 lb quantity: 1,311 sqft boxes: 60 gross weight: 2,468 lb

EURO PALLET quantity: 1,092 sqft boxes: 50 gross weight: 2,057 lb P



2000052 Lisa Blanco 25103

2000049 Lisa Azul Marino 25200

98% RECYCLED GLASS **Nieve**

TESSERAE 1"x1"

SHEET

SHEE I size: *12,2"x18,1"* thickness: *0.19"* weight/peso: *2.89 lb*

BOX sheets: 14 quantity: 21.52 sqft weight: 41.08 lb

PALLET quantity: *1,311 sqft* boxes: 60 gross weight: *2,468 lb*

EURO PALLET quantity: 1,092 sqft boxes: 50 gross weight: 2,057 lb

P



2000089 Nieve Verde 25357



2000079 Nieve Azul Marino 25250



2000078 Nieve Azul Claro 25252

2000077 Nieve Azul Cielo 25254

98% RECYCLED GLASS **Nieve Antislip Adz**

TESSERAE

TESSERAE

1"×1"

1"×1"

SHEET size: 12.24"x12.24" thickness: 0.19" weight: 2.01 lb

BOX sheets: 10 quantity: 10.55 sqft weight: 20.14 lb

PALLET quantity: 1,329 sqft boxes: 126 gross weight: 2,538 lb

PALLET

boxes: 60

quantity: 1,311 sqft

gross weight: 2,468 lb

EURO PALLET quantity: 886.1 sqft boxes: 84 gross weight: 1,692 lb

∰ P 🖊



2000971 Nieve Blanco 25103 Adz



EURO PALLET

quantity: 1,092 sqft

gross weight: 2,057 lb

boxes: 50

2000976 Nieve Azul Cielo 25254 Adz



BOX

sheets: 14

quantity: 21.52 sqft

weight: 40.65 lb

2000973 Nieve Azul Marino 25250 Adz

SHEET


size: 12.2"x18.1"

thickness: 0.19"


weight: 2.89 lb

98% RECYCLED GLASS **Colour Blends**





2001198 Aqua 25259 - 50%, 25359 - 50%



2000110 Piscis 25250 - 50%, 25251 - 50%

98% RECYCLED GLASS

Luminiscent









DIGITALLY PRINTED MOSAIC 98% recycled glass

ONIX presents a new collection where you can let your imagination run free. Designs that you can dream off and then feel and live.

The estate of the art technology has enabled ONIX to bring you a new decoration trend where you can translate your dreams to the real world. You can be surrounded by nature in a big city, take a piece of the city to the country house, or even swim in a cashmere carpet or surrounded by corals and wild submarine animals. All these amazing possibilities are within your reach thanks to the exclusive ONIX digital technology applied to glass mosaics.

This collection is suitable for exteriors, interiors and wet areas. This is possible due to the fact that the digital technology do not alter at all the technical specs of the glass mosaics, maintaining all the inherent characteristics that make this product one of the most versatile ones suitable for any application.

This collection is available in all the formats and finishes. Textured finishes and gold and silver finishes are also available upon request.

Just choose a design, measure the area you want to decor,....and leave the rest to us.





Digital printing method

We present an innovative digital printing method of photos on mosaic. The images are 100% fit in the vitreous basis of the mosaic. This kind of printing makes possible the creation of designs visually shocking and highly resistant. It is specially indicated to made to measure made-to-measure indicated to projects.

Images are resistant to: • Water.

- Frost.
- Stains.
- Abrasion and erosion.
- Thermal shocks.
- Fast colour (ultraviolet-UV resistant).

Digital printing has infinite and unimaginable possibilities.

























Artistic Mosaic

When a design features a lot of small details, he artisan method is the most suitable for mosaic reproduction. When this method is used, mosaic of 25x25 or 12x12 mm is cut manually into smaller pieces and affixed following the pattern of the design, creating an irregular layout. If necessary, even smaller fragments can be made.

The mosaic is supplied on fibreglass mesh or affixed to numbered sheets of paper in design outlines of various sizes to ensure there is no interruption in the design when it comes to the tiling phase.

Pixel Mosaic

This method allows a design or photographic image to be transformed into a mosaic using pieces of 25x25 and 12x12 mm. To ensure the transformation is correct, we need to bear in mind the following:

- The size of the work in mosaic should increase in proportion to the amount of details in the image to be reproduced.
- The optimum viewing distance should allow a clear perspective of the mosaic as a whole therefore, if the size of the mosaic is increased, then the distance from which it is to be seen should also be proportionately increased.
- The colours and lines of the image to be processed should be clearly defined.

The mosaic is supplied affixed to numbered sheets of paper of 33x33 cm together with the diagram for applying them.



Artistic Mosaic Shape



Pixel Mosaic



Artistic Mosaic

ONIX[®] TECHNICAL CHARACTERISTICS

						I				
			Test UNE-EN-ISO 10545-3	Test UNE-EN-ISO-101-92=101	Test UNE-EN-ISO 10545-9	Test UNE-EN-ISO 10545-12	Test UNE-EN-ISO 10545-13:1998			
		Collections	Water Absorption	Surface hardness. Mosh.	Resistance to termal shocks	Frost Resistance	Resistance to chemical attack			
							Domestic products	Pool water additivies	Low Acid and alkalins	
		NATUREGLASS	None	5	Resistant	Resistant	GA	GA	GLA	
		NATUREBLENDS	None	5	Resistant	Resistant	GA	GA	GLA	
		EARTHGLASS	None	9	Resistant	Resistant	GA	GA	GLA	
		HEX NATUREGLASS	None	4	Resistant	Resistant	GA	GA	GLA	
		STONEGLASS	None	9	Resistant	Resistant	GA	GA	GLA	
		STONEGLASS BLENDS	None	4	Resistant	Resistant	GA	GA	GLA	
		OPALO	None	4	Resistant	Resistant	GA	GA	GLA	
CVCLEI		HEXAGON BLENDS	None	4	Resisrant	Resistant	GA	GA	GLA	
98% RECYCLED		FUSEGLASS	None	4	Resistant	Resistant	GA	GA	GLA	
86		COSMIC	None	4	Resistant	Resistant	GA	GA	GLA	
[ESSENCE	None	4	Resistant	Resistant	GA	GA	GLA	
[MYSTIC GLASS	None	4	Resistant	Resistant	GA	GA	GLA	
[COLOUR BLENDS	None	4	Resistant	Resistant	GA	GA	GLA	
[LISA	None	4	Resistant	Resistant	GA	GA	GLA	
		NIEVE	None	4	Resistant	Resistant	GA	GA	GLA	
	ADZ	ANTISLIP	None	9	Resistant	Resistant	GA	GA	GLA	
SS										
GLASS		GEOGLASS	None	4	Resistant	Resistant	GA	GA	GLA	

	Test UNE-EN-ISO 10545-14	Test UNE-EN-ISO 10545- 11=1997	DIN 51094	ASTM C-1028-96		DIN 51130:2004	DIN 51097	Test UNE-ENV 12633:2003 (CTE)
	Resistance to staning	Cracking	Colour Stability on expo- sure to light an UV rays	Friction dry coefficient	Friction wet coefficient	SLIP Ressistance wearing shoes	SLIP ressistance in bare shoes	anti skid coefficient, suitable for outdoor use and swimming pools
High Acid and alkalins								
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant			R9	Class A	Class 2
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant	0,71	0,65	R9	Class A	Class 2
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant					
GHA	Class 5	Resistant	Resistant	0,72	0,64	R11	Class C	Class 3
GHA	Class 5	Resistant	Resistant					

ONIX® TILE LAYING ADVICE

COLLECTIONS











PREPARATION OF THE BASE

The base on which the laying will be effected, must be perfectly smooth, uniform and white. A different colour damages the aesthetic look of the final result.

THE GLUEING OPERATION

White C2 glue, as per EN12004, must be used.

By using the smooth side of the trowel, the glue has to be spread out uniformly on the base (2 sq.m. approximately). By using the jagged side of the trowel (2 or 3 mm.), comb the glue.

THE LAYING OF MOSAIC TILES

Adhere the sheet to the surface by pressing with a rubber trowel.

It is important to make sure that the distance between one sheet and another is the same as the one among the tesseras so that all the joints look alike.

We suggest to join the sheets when it comes to laying.

GROUTING

Joints must be clean, dry and free form dust.

The remains of adhesive, after laying, must be removed while it is still fresh.

Use grouting paste, **RG type, as per EN** 13888, spread it out with a rubber trowel.

CLEANING

Let it dry until the paste gets brightless, superficially, and then proceed to clean it with a sponge soaked in water. Once it gets dry, remove it with a dry cloth.

SHADING BLENDS


Shading Blends are composed of several mixtures from the lightest to darkest They are sold by module, 1 module = 8 sheets, (1 sheet per level from 1 to 8).

Besides, 1 and 8 levels can be sold separately to complete floor, wall or roof


They are two different sizes of degrades depending on the support:


Mesh support: 1 module: 2664 x 333 mm (0.89m² / 0.074 sqft²)
 PVC support: 1 module: 2480x467 mm (116 m²/12 48 sqft²)

USE IN BATHROOM (EXAMPLE)



USE IN SWIMMING POOL (EXAMPLE)





ONIX®

TIPS FOR PRECIOUS METALS

CAUTION VALUABLE METALS

Pieces decorate with a special application. Handle with care.

Improper manipulation (scratching) and the use of abrasive detergents may cause damage on the pieces.

When fixing, pay special care when cleaning the white cement used for grouting.

It is recommended to use small grain grouting material avoid scratching the glazed surface. Clean after fixed with a very wet rag or with a sponge while the grout is still wet. Never use neither abrasive or corrosive elements, nor aggresive cleaning agents too basic or excessively acid. Should pieces present defects, do not lay them, contact the supplier straigt away. No claim will be accepted once the product is laid out.

Thank you for your co-operation.

The gold and platinum metals that are used in our decorations, have been widely checked in the domestic use, bearing in mind the described recommendations for their cleaning.

If it is prefered to use them in industrial areas, then, every single case ought to be evaluated to verify its viability.

In spa and public swimming pool areas where there is a continuous high humidity concentration on the walls, due to water evaporation, salts and/or chlorine (bleach), THEIR USE IS NOT RECOMMENDED.

MOSAIC INSTALLATION GUIDE. IMPORTANT CONSIDERATIONS

ONIX glass Mosaics can be installed on interior and exterior areas and in wet and dry locations. Please refer to the Suitability area product guide and composition and check if the mosaic is suitable for the required application.

Glass tiles should not be exposed to high abrasion and high impact and or installed over flexible surfaces. Breakages or cracks are very noticeable in glass tiles so the use of a crack suppression membrane is recommended when mosaics are installed over a mortar bed but note that this is not applicable if mosaics are used as an accent. Some substrates could continue to cure and shrink and a crack suppression membrane prevents shrinkage to affect the mosaic tiles. Install only over well-cured, stable substrates. Expansion joint are recommended when substrates change.

Adhesives:

Use of white thin set mortar adhesives is recommended. C2 as per EN 12004 norm or two component flexible acrylic or epoxy adhesives.

Note that some glass mosaics may contain resins in the composition so when using a C2 adhesive make sure that it does not affect the resins and it is safe for glass mosaics containing resins.

For pool and submerged installations check with adhesive manufacturers if additional steps or procedures are required.

Grouting:

In order not to scratch the surface of the mosaics, non sanded grout is the recommended option. RG type and Epoxy grouts are the recommended options for installations. Float the grout into the joints to avoid scratching the surface of the mosaics. Special care and attention must be followed with the metallic and precious metals finishes to avoid scratches. Please refer to the Suitability area product guide composition and to the Tips for precious metals section and check if the mosaic selected contains these products.

Cutting and Drilling

Ceramic tiles cutting blades are not recommended for glass. Always use diamond blades designed for cutting glass on a wet saw. For drilling use of use a coring drill that is designed for glass

Cleaning

Use of non-abrasive cleaning products is recommended

Important note: All ONIX 98 % recycled glass mosaics series are made of molten glass. Molten glass characteristics may include irregular edges and small variations in size. These characteristics are inherent to the product and to the standard production. The small size and shape variations can affect the grout joint appearance and enhance the natural aspect of these products.

$O\,N\,I\,X^{\,^{(8)}}$ suitability area product guide & composition

	Group	Series	Reference	Wall	Floor	Wet areas	Pools	Material
			BROWN ILLUSION	INT/ EXT	NO	YES	YES	GLASS
			MARKINA WHITE	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
		HEXAGON NATUREGLASS	ALL PRODUCTS	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
		HEXAGON STONEGLASS	ALL PRODUCTS	INT/ EXT	RESIDENTIAL/ COMMERCIAL	YES	YES	GLASS
		HEXAGON OPALO	ALL PRODUCTS	INT/ EXT	NO	YES	YES	GLASS
		HEXAGON STONES	ALL PRODUCTS	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
		HEXAGON BLENDS	ALL PRODUCTS	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
		MARBELOUS	VITRA SKIN	INT/ EXT	NO	YES	NO	GLASS GOLD
			STONE	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
			BLACK	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
	z		FLOWER	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
	COLLECTION	COSMIC	FIRENZE	INT/ EXT	NO	YES	NO	GLASS GOLD
	COLL		ZAMBRA	INT/ EXT	RESIDENTIAL	YES	YES	GLASS
		ESSENCE	CARRARA	INT/EXT	RESIDENTIAL	YES	YES	GLASS
			CARRARA MIX DARK	INT/EXT	RESIDENTIAL	YES	YES	GLASS
			PULPIS WHITE	INT/EXT	RESIDENTIAL	YES	YES	GLASS
		MYSTICGLASS	AMBER	INT	NO	NO	NO	GLASS RESINS
			AURA	INT	NO	NO	NO	GLASS RESINS
			AGATA DIAMOND BLACK	INT	NO	NO	NO	GLASS
		NATUREBLENDS	ALL PRODUCTS	INT/EXT	RESIDENTIAL	YES	YES	GLASS
		LISA	ALL PRODUCTS	INT/EXT	RESIDENTIAL	YES	YES	GLASS
		NIEVE	ALL PRODUCTS	INT/EXT	RESIDENTIAL	YES	YES	GLASS
		NIEVE ANTISLIP	ALL PRODUCTS	INT/EXT	RESIDENTIAL	YES	YES	GLASS
			CS004	INT	NO	YES	NO	GLASS,NATURAL STONE
	LASS		CS005	INT	NO	NO	NO	GLASS,NATURAL STONE
	80	CRISTONE	CS006	INT	NO	YES	NO	GLASS,NATURAL STONE
	STONE & GLASS		CS007	INT	NO	YES	NO	GLASS,NATURAL STONE
	S		CS008	INT	NO	YES	NO	GLASS,NATURAL STONE
	GLASS	GEOGLASS	ALL PRODUCTS	INT/EXT	RESIDENTIAL	YES	YES	GLASS

WHITE, PEARL AND SILVER



NatureBlends Atlantico PAG. 26



GeoGlass Oval 13 PAG. 49



Shading Blends Markina White PAG. 10



FuseGlass FU013 PAG. 30

Lisa Blanco 25103

PAG. 60



PAG. 48



NatureGlass White PAG. 37



GeoGlass Circle 13 PAG. 46



Essence Carrara PAG. 22



NatureBlends Indico PAG. 28



GeoGlass Square


Nieve Blanco 25103 Adz PAG. 61

PAG. 62

13



Luminiscent Bright Blue PAG. 62



White

PAG. 22

Hex Nature White Luminiscent PAG. 16 Bright Green



StoneGlass 25013 PAG. 34



Marbelous Flower PAG. 20



Blends Opalo Blanco PAG. 34



Hex Opalo White PAG. 16

ONIX® COLOURS INDEX

BLACK, GREY AND STEEL





Crystone CS005 PAG. 42





MysticGlass Agata Diamond Black PAG. 24



Essence Carrara Mix Dark PAG.22



FuseGlass 010 PAG. 34



StoneGlass 25010 PAG. 34

NatureBlends

Manati

PAG. 26



GeoGlass Brick 10 PAG. 48

NatureBlends

Indor

PAG. 28



GeoGlass Circle 10 PAG. 46

Nature Blends

Upsala Black

PAG. 26



GeoGlass Oval 10 PAG. 49


NatureGlass Black

PAG. 37





NatureGlass Dark Grey PAG. 37



Hex Blend Cloud PAG. 19



NatureGlass Grey

PAG. 37

Hex Blend Taupe PAG. 19



Ópalo Negro

PAG. 38

Hex Blend Metal Carrara PAG. 19



StoneGlass Blends

Ópalo Negro

. PAG. 34

Hex Blend Black PAG. 19



Hex NatureGlass Black PAG. 16



Hex Marbelous Black PAG. 20

BEIGE, BROWN AND COOPER






Cosmic Firenze PAG. 22





CryStone CS006 . PAG. 42



CryStone CS008 PAG. 42



EarthGlass Slate PAG. 32



FuseGlass Fu040 PAG. 30



GeoGlass Square 40 PAG. 50



GeoGlass Brick 40 PAG. 48



NatureGlass Bone

PAG. 37

GeoGlass Circle 40 PAG. 46







NatureGlass Brown PAG. 36



Opalo Sor



Hex Blend Cream PAG. 20



NatureGlass Dark

Beige

PAG. 37

Hex Oxide

PAG. 18

Mystic Glass Amber PAG. 24



NatureBlends



Nature Blends Upsala Beige PAG. 26



NatureBlends Negev PAG. 26



Shading Blends Brown Illusion PAG. 10



Hex Blend Tan PAG. 20








PAG. 18

NatureGlass

Moka PAG. 36









GOLD AND YELLOW



MysticGlass Aura PAG. 24



Marbelous Vitra Skin PAG. 20

RED, ORANGE AND BURGUNDY



GeoGlass circle 50 PAG. 46






Nieve Verde 25357 PAG. 60


BLUE







GeoGlass Square 20 PAG. 50



Colour Blends Piscis PAG. 61



Nieve Azul Cielo 25254 PAG. 60



GeoGlass Brick 20 PAG. 48



Nieve Azul Claro 25252 PAG. 60



ino Luminiscent Blue PAG. 62

GeoGlass Circle

Nieve Azul Celes-

te 25251 Adz


PAG. 61

20

PAG. 46




GeoGlass Oval 20 PAG. 49



Nieve Azul Marino 25250 Adz PAG. 61



Cosmic Zambra PAG. 22



Nieve Azul Marino 25250 PAG. 60

Opalo Iridescent Blue PAG. 30





In the interest of maintaining constant improvements, ONIX Mosaico reserves the right to delete and amend, either totally or partially, any of the styles, colours, shapes, sizes, references and other technicall specifications contained in this catalogue.

Due to the technical process of reproduction, colours printed are approximate, not exact.

The photographs included in this catalogue are not contractual. The interpreting of the pictures will be according to designer's judgment. All the information and texts included in the catalogue keep under the reservation of possible errors. The catalogue is only an informative tool.

If you are a professional, Architech, Interior Designer , when registering in our web site to get complet access to our catalogue and other support material, you will also get information about our program called ONIX INTERIOR DESIGNERS; you will also be able to access our distributors network, and our Project Support Department!

www.onixmosaic.com onix@onixmosaic.com

ONIX[®] How far does your imagination go?

ONIX USA, LLC: 9450 NW 12 Street, 33172 Miami [USA

onix.usa@onixmosaic.com

ONIX MOSAICO: Av. Real de Extremadura, 23 Apdo. correos / PO Box 225, 12200 Onda, Castellón [Spain] Tel.: +34 964 776 287 - Fax: +34 964 776 284

onix@onixmosaic.com